



ASSOCIATION OF MANUFACTURERS
AND SUPPLIERS OF MEDICAL DEVICES

PROJECT: DELIVERY ROOM



		PCS	Eur Celkem
LINET	Delivery bed AVE2	1	20 333 €
LINET	Baby Crib Mimi	1	671 €
MZ LIBEREC	Medical Beam ZMP07 with equipment + accessories + beams + spacer + cover	1	22 479 €
TSE	Infant radiant warmer Natally	1	12 490 €
TSE	Transport infant incubator TI-401	1	19 950 €
SMT	Electrocoagulator SMT BM M 400 PF	1	3 970 €
	Installation and warranty		
	Transportation	1	4 700 €
	TOTAL including transportation, installation, warranty, tax exluded		84 592 €

Birthing bed

BASIC MODEL CONFIGURATION DESCRIPTION:

- *Standard leg rests + leg straps (pair)
- *Backup battery
- *Sliding foot section including the upholstery
- *Seamless mattress
- *Bakteriostatic leatherette
- *Electric Trendelenburg
- *Manual CPR
- *Infusion stand holder on both sides of the bed
- *Siderail with controls
- *Fixed panel with controls
- *Handgrips (pair)
- *Castors 150 mm, 1 x directional
- *Central brake
- *Equipotential busbar
- *Network cable of one's choice
- *Choice from standard colour options
- *Packaging







BASIC MODEL PHOTO:







Note: the picture does not correspond with the standard configuration; the final appearance of the product might differ according to the clients'

BASIC TECHNICAL PARAMETERS:

Total length of the lying area (including the foot section)	2122 mm
Minimum length in the default setting (without the foot)	1570 mm
Full width with the side rails in active position	980 mm
Full width with the side rails in parked position	960 mm
Maximum height of the seat section (Trendelenburg 40)	1143 mm
Upholstery width (maximum)	890 mm
Upholstery length (maximum)	2050 mm
Castor size	150 mm
Minimum height	600 mm
Maximum height	1050 mm

	description	model	price EUR/pc	Quantity (pcs)	Final price EUR
	Birthing bed AVE2	PPB-AX	18866,00	1	18866
Electrical System					
	220-240 VAC - Electric equipment 50/60 Hz	PPB-050.21	0,00	1	0
Upholstery Color					
	Blue F4340_07459	B	0,00	1	0
	Yellow F4340_07477	M	0,00		0
	Orange F4340_20127	P	0,00		0
	Green F4340-20157	F	0,00		0
	Violet F4340-50621	A	0,00		0
Mattress thickness					
	100 mm	PPB-014-X	0,00	1	0
Upholstery - select all					
	PPB-006.07 Upholstery of the footrest	PPB-006.07-X	0,00	1	0
	PPB-007.03 Upholstery of the left leg holder	PPB-007.03-X	0,00	1	0
	PPB-008.03 Upholstery of the right leg holder	PPB-008.03-X	0,00	1	0
Castors					

	150mm castors with prolonged pin (+20 mm)	PPB-079	0,00	1	0
Footrest select					
	Footrests (outside US)	PPB-075	0,00	1	0
Hand grips select					
	Hand Grips (removable)	PPB-012	0,00	1	0
Hand controller					
	Hand controller	PPB-062	120,00	1	120
Eurobar					
	Eurobar (pair)	PPB-064	70,00	1	70
Packing					
	Cartonbox on pallet with indicator Dimensions - L 1770 x W 1170 x H 1020 mm Weight with bed - 350 kg Stackable (2 pcs)	PPB-090	0,00	1	0
Optional equipment					
	Telescopic infusion stand	PPA-36	210,00	1	210
	Bumper for leg holder (set of left and right)	PPB-077	67,00		0
	Doctor's chair	ZK-05.X	280,00	1	280
	Large stainless steel bowl - 10 l	PPA-33	474,00	1	474
Headboard					
	With Headboard	PPB-060	260,00	1	260
Bowls					
	Stainless catch basin 8l <i>need to order with holder PPB-009</i>	PPB-034	53,00	1	53

Price total 1 20 333

20 333

Children beds - baby crib

BASIC MODEL CONFIGURATION DESCRIPTION:

Mattress platform and adjustments

High adjustment: mechanically by gas spring
tilting- mechanically by mechanical spring TR/ATR
removable infant tub: PETG

Castors

4 x 65 mm, double castors, 4 individually braked

Colour concept

powder coated metallic parts RAL 9002 - light grey

additional fee for nonstandard colour - see "General conditions and colour concept"

BASIC MODEL PHOTO:




Note: the picture does not correspond with the standard configuration; the final appearance of the product might differ according to the clients'

BASIC TECHNICAL PARAMETERS:

Max patient weight:	15 kg
External dimensions (L x W x H):	92 x 57 x 102 cm
Infant tub dimensions (L x W x H):	79,5 x 46,5 x 22 - 29 cm
Height adjustment:	64 – 94 cm
Weight including infant tub:	ca.21 kg
Bed tilt adjustment (TR/ATR):	14 ° / 14 °

The bed is fully compliant with all requirements of the directive 93/42/EEC

basic model number :	13101101B00B0	price EUR/pc	Quantity (pcs)	Final price EUR
	price:	625	1	625

recommended mattress	description	model	price EUR/pc	Quantity (pcs)	Final price EUR
	foam mattress + washable cover Dimensions: 65 x 35 x 3 cm	4GMRE162000	36	1	36
Packaging					
	WORLDWIDE, by road, by sea (1 product in the packaging, price per product) Packed in cardboard box.	23100H0000000	10	1	10

Delivery terms: 8 - 12 weeks (Definitive terms of delivery will be stated in the order confirmation)

Pieces Total	1	671
--------------	---	-----

671



Price indication and specification of equipment & services
Medical beams for delivery rooms in Ghana

18.11.2019

No.: 243-2019

DISCOUNT:
100% price level
1 koeficient

Medical beam ZMP07 for delivery room		1 pcs	Unit price	Total price
Height of the ceiling		TBA mm		
Height of the false ceiling		TBA mm		
2x Spacer		TBA mm	1 160,00 €	1 160,00 €
2x beams		TBA mm	1 528,00 €	1 528,00 €
2x Ceiling cover		580x580 mm	976,00 €	976,00 €
Length of the medical beam		2x2500 mm mm	9 000,00 €	9 000,00 €
Height of the medical beam from ground		TBA mm		
Medical rail L = 400 mm		2 pcs	54,00 €	108,00 € 54,00 €
Equipment of the ZMP07				
Electric	Electric socket SCHUKO with LED - orange	4 pcs	39,00 €	156,00 € 39,00 €
	Electric socket SCHUKO - green	6 pcs	26,00 €	156,00 € 26,00 €
	Jack Bush	4 pc	21,00 €	84,00 € 21,00 €
	Data socket RJ45	2 pc	30,00 €	60,00 € 30,00 €
Gas preparation	GCE Mediunit BS O2	2 pc	290,00 €	580,00 € 290,00 €
	GCE Mediunit BS N2O	2 pc	290,00 €	580,00 € 290,00 €
	GCE Mediunit BS AIR	2 pc	290,00 €	580,00 € 290,00 €
	GCE Mediunit BS VAC	2 pc	290,00 €	580,00 € 290,00 €
Total equipment for ZMP07				2 776,00 €
Total ZMP07 with equipment				11 884,00 €
Accessories	Trolley with shlef rods	1 pc	617,00 €	617,00 € 617,00 €
	Shelf 580x550 mm with medical rails	1 pc	178,00 €	178,00 € 178,00 €
	Shelf 580x550 mm with drawers and medical rails	1 pc	221,00 €	221,00 € 221,00 €
	Basket wire 580x550x150mm	1 pc	200,00 €	200,00 € 200,00 €
	Infusion holder with single arm 300mm and 4 hooks in the medical rail	1 pc	318,00 €	318,00 € 318,00 €
	Direct fluorescent light 24W with switch	1 pc	72,00 €	72,00 € 72,00 €
	Indirect fluorescent light 24W with switch	1 pc	72,00 €	72,00 € 72,00 €
	Night LED light 3,5W with switch	1 pc	30,00 €	30,00 € 30,00 €
	Double arm 300/300 mm for monitor VESA 75/100 on medical rail	1 pc	260,00 €	260,00 € 260,00 €
	Rotation shelf 400x400 mm on the medical rail	1 pc	124,00 €	124,00 € 124,00 €
	Holder with 3-arms for IV pole, infusion pump, hanging shelf on the beam	1 pc	698,00 €	698,00 € 698,00 €
	IV pole with 4 hooks for 3-arms system	1 pc	213,00 €	213,00 € 213,00 €
	Hanging shelf 500x600 mm for 3-arms system	1 pc	327,00 €	327,00 € 327,00 €
	Rod for infusion pump for 3-arms system	1 pc	83,00 €	83,00 € 83,00 €
	Examination light on the medical rail	1 pc	740,00 €	740,00 € N/A
Subtotal	Medical Beam ZMP07 with equipment + accessories + beams + spacer + cover	1 pcs	19 701,00 €	19 701,00 €
	Packing costs			413,72 €
	Installation			2 364,12 €
Total	Medical Beam ZMP07 with equipment + accessories + beams + spacer + cover + packing costs + transportation + installations			22 478,84 €

All products manufactured in MZ Liberec a. s. are in conformity with European standard EN 793 medical devices class IIa and IIb and complies with provisions of Annex II section 3 of the Council Directive 93/42/EEC including amendments.
Electro technical Testing Institute is Notified body for Council Directive 93/42/EEC – I.D. No. 1014.
RAL colour: 9002

REFERENTIAL VISUALISATION:



COMMERCIAL TERMS:

Euro currency (€)

PACKING:

In wooden cases only

TERMS OF DELIVERY:

CIF Amman, Ghana

PAYMENT TERMS:

In accordance with the end customer terms

Ceska sporitelna, a.s.

Bank Code: 0800

Account number: 8217052

IBAN: CZ94 0800 0000 0000 0821 7052

SWIFT: GIBACZPX

CONTACT DETAILS:

Alexandr Jernek, M.Sc.

Business Development Director
& Member of the Supervisory Board

MZ Liberec, a.s. - Prague Office

Davidkova 533/38

180 00 Praha 8 – Liben

Czech Republic

Mob.: +420 731 178 944

E-mail: alexandr.jernek@mzliberec.cz

Skype: alexandr.jernek

Web: www.mzliberec.cz

MANUFACTORY ADDRESS:

MZ Liberec, a.s. - Headquarters and Production Plant

Rudnik 4

543 72 Rudnik u Vrchlabi

Czech Republic

Mob. – Secretariat: +420 601 361 525

E-mail: info@mzliberec.cz

Web: www.mzliberec.cz


Quotation

Date: 22.11.2019
Ref. No.: 346/19
Currency: EUR
Prices valid till:

Contact person
Martin Novák
 Area Sales Manager

Company name
 Street
 City, Country
 Tel.:
 E-mail:

Infant radiant warmer Natally

Description		Quantity	Unit price	Amount
Standard model				
✓ microprocessor-controlled infant warmer ✓ 9" LCD display - display of actual and set values and the time recording with trends, apper timer ✓ rotating radiator for 90° ✓ measurement and control of the patient's body ✓ undercarriage with fixed height and a shelf ✓ electric bed positioning (Trendelenburg and anti-Trendelenburg) 12° ✓ body temperature probe - 1 pc ✓ the possibility of inserting the X-ray cassettes		1		
Optional				
✓ height adjustable lower part as undercarriage ✓ integrated monitoring of vital functions (SPO2, pulse, PI, PVI) including alarm limits and their recording + sensors sample pack (3pcs) ✓ closed storage boxes on the lower part ✓ additional shelf for IV pole ✓ infusion hook for IV pole			included in the selling price	
	Export packing			- €
Total amount / pc.				12 490,00 €

PAYMENT CONDITIONS: 100% cash prepayment
DELIVERY CONDITIONS: EXW Č. Budějovice
DELIVERY TIME: 10-12 weeks after advance payment (EXACT DATE UPON CONFIRMED ORDER)
WARRANTY PERIOD: 2 years

Prices valid for above mentioned order volumes.

Contractor reserves the right of price change when upward course of CZK / EUR exchange is higher than 3%

Prices mentioned above are prices for distributor, don't include distributor's commission.

Installation and hospital staff training and service shall be covered by company above.


Quotation

DATE: 22.11.2019
Ref. No. 346/19
Currency: EUR
Prices valid till:

Contact person
Martin Novák
 Area Sales Manager

Company name
 Street
 City, Country
 Tel.:
 E-mail:

Transport infant incubator TI-401

Description	Quantity	Unit price	Amount
STANDARD MODEL ✓ air temperature control ✓ oxygen and air can be added ✓ 2 oxygen bottles with reducing valve ✓ flowmeter with manual oxygen flow regulation ✓ a number of alarms ensuring safety operation ✓ built- in energy source (rechargeable batteries) ✓ external energy sources (car batteries) ✓ double wall	1		
UNDERCARRIAGE			
Type PNT-401 (for use in health centres only, without height adjustment)			included in the selling price
Total Amount / pc.			19 950,00 €

PAYMENT CONDITONS: 100% cash prepayment
DELIVERY CONDITIONS: EXW Č. Budějovice
DELIVERY TIME: 8-12 weeks after advance payment (EXACT DATE UPON CONFIRMED ORDER)
WARRANTY PERIOD: 2 years

Prices valid for above mentioned order volumes.

Contractor reserves the right of price change when upward course of CZK / EUR exchange is higher than 3%

Prices mentioned above are prices for distributor, don't include distributor's commission.

Installation and hospital staff training and service shall be covered by company above.

Technical Specification

SPECIAL MEDICAL TECHNOLOGY (SMT), Papírenská 5, 160 00 Prague 6, Czech Republic
SPECIAL OFFER FOR GHANA

Electrosurgical unit

Quantity:














1 Nos






Electrocoagulator SMT BM M 400 PF



No.	Technical specification	Comply	Description
1. Features			
1.1	Monopolar and Bipolar Unit - both system for different application.	YES	User friendly and easy interface to control by foot and hand switch.
1.2	Unit controlled by Microprocessor for more accurate and strong output 100 times per.	YES	Full continues accurate control with quick output minimal 100 per seconds.
1.3	Capacity - 12 storages memory function available.	YES	12 storage function available with preadjusted function for easy operation (Urology, Gastro, etc.).
1.4	Digital display for power output information in the unit.	YES	All parameters are visual displayed on LCD, supported by acoustic signal where suitable.
1.5	Each working condition can be checked by audible and indication lamp.	YES	All adjustment can be checked by colour indicators.
1.6	Unit is equipped with return electrode monitoring (REM) system.	YES	Standard SMT safety feature supported by dual neutral electrode (with REM system) for even higher safety.
1.7	Bipolar cut and coagulation system is available in the unit.	YES	The unit have multiple selectable outputs for bipolar cut and coagulation.
1.8	A power display and outlet for monopolar cut & coagulation and bipolar cut & coagulation. Each output can be individually configured.	YES	SMT solution offers many different combinations and configurations.
2. General Specification			
2.1	Working Frequency 460 Khz for both Monopolar and Bipolar	YES	460 KHz
2.2	Working Ohm for all monopolar cut and Coag : 600 ohm	YES	600 Ohm
2.3	Working Ohm for bipolar cut : 150 ohm	YES	150 Ohm
2.4	Working Ohm for bipolar Coagulation : 150 ohm	YES	150 Ohm
2.5	Input voltage: 220 -230 VAC, 50 Hz	YES	Input voltage: 220 - 230V Input frequency: 50 - 60 Hz
3. OUTPUTMODE - Monopolar Cut			
3.1	Mode: Low / Pure / Blend	YES	5x Monopolar cut mode- Micro (Low) / Cut (Pure) / 3x Blend
3.2	Pure CUT: 400 watt or more	YES	to 400 W
3.3	Blend Cut I: 380 watt or more	YES	to 380 W
3.4	Blend Cut 2: 260 watt or more	YES	to 260 W
3.5	Blend Cut 3: 200 watt or more		to 200 W
4. OUTPUTMODE - Monopolar Coagulation			
4.1	Mode: Desiccate / Fulguration / Spray	YES	3x Monopolar coagulation - Coag 1 (Dissicate) / Coag 2 (Fulguration) / Spray
4.2	Contact Coag : 260 watt or more	YES	to 260 W
4.3	Spray coag : 400 watt or more	YES	to 400 W
5. OUTPUTMODE - Bipolar			
5.1	Mode: Precise / Standard / Macro	YES	3x (4x) Bipolar cut: Cut / Blend / Micro / SAL - in version BM M PF SAL 4x Bipolar coagulation: Coag 1 (Precise), Coag 2 (Standard), Coag 3 (Macro), Spray
5.2	Bipolar cut : 340 watt or more	YES	to 340 W
5.3	Bipolar: 260 watt or more	YES	to 300 W

6. Following Accessories for each Unit

	Units and Accessories	Pcs	Comply specifications	Price [EUR]	Picture
6.1	Electrocoagulator SMT BM M 400 PF	1	To the units can be free of charge added operation output for operation in Saline - version SAL (TURis and TCRIS).	3 280	
6.2	Double (cut & coag) foot switch	1	In standard equipment.	Free	
6.3	Bipolar foot switch	1	In standard equipment (Universal foot switch).	Free	
6.4	Electrode Handle, Disposable	2	(3 m)	13,9	
6.5	Electrode Handle, Reusable	2	1 pcs in standard equipment and 1 pcs extra (3 m).	62,9	
6.6	Silicon Patient plate Reusable	1	In standard equipment (with REM system).	Free	
6.7	Disposable Patient Plate	2	With REM system.	2,9	
6.8	Patient Plate Cable	1	In standard equipment.	Free	
6.9	Grounding Cable	1	The unit have isolation class II (plastics box) that mean that grounding cable isn't needed for safety using of the unit.	-	
6.10	Bipolar Forceps	2	1 pcs in standard equipment and 1 pcs extra (dimension can be modified).	113,9	
6.11	Bipolar Forceps cable	2	1 pcs in standard equipment and 1 pcs extra (3 m). Optional selection between coaxial and double-fork connector. The unit have both connectors.	122,9	
6.12	Electrode, Knife	1	In standard equipment (type can be modified).	Free	
6.13	Electrode, Ball	1	In standard equipment (type can be modified).	Free	

6.14	Electrode, Loop	1	<i>In standard equipment (type can be modified).</i>	Free	
6.15	Electrode, Needle	1	<i>In standard equipment (type can be modified).</i>	Free	
6.16	Electrode Needle angled	1	<i>In standard equipment (type can be modified).</i>	Free	
6.17	Laparoscopy Cable 4mm	1	<i>Type can be modified according to used equipment.</i>	83	
6.18	Trolley SMT	1	<i>Special trolley for efficient and convenient manipulation of the Electrosurgical Unit. Dimension: 40 x 45 x 90 [cm]</i>	290	
6.19	Service and Operation manual (English)	1	<i>In standard equipment</i>	Free	
7. Warranty and Quality Standards					
7.1	Warranty: 3 years comprehensive warranty including spare parts, maintenance and servicing from the date of functioning at user end.	YES	<i>2 years warranty + another 3 years warranty to the electronic parts of the units including: - Fully equipped mainboard - Fully equipped display board - Keyboard - Input transformer - Ventilator - Switches for foot swichs</i>		
7.2	Quality Standard: European Conformance-CE for offered model	YES	<i>CE certificate ISO 13485</i>		
8. Price Summary					
		Price per 1 unit:	3 969,50	EUR with all accesories	
		Price per 10 units:	39 695,00	Total cost for 5 units + acc.	
		Packaging:	100,00	Total cost for 5 units + acc.	
		Shipping:		EXW SMT Prague, CZ	
		Total price:	39 795,00	EUR	
		Payment Conditions:		according to conditions	
		Production Timeframe:		3-4 weeks from the order	
		Installation at Jobsite:		not needed, video quick set up on flash disc provided	
		Offer validity:		December 31st, 2019	
		Offer No. & Date		2019/10/21/012	