MOSEV plast s.r.o. Nová Hradečná 221 783 84 Nová Hradečná CZECH REPUBLIC

tel: 00420 585 032 511 fax: 00420 585 032 171 mob. 00420 603 720 812 www.mosevplast.cz mosev@mosevplast.cz stuchla@mosevplast.cz

High quality standards of ISO 9001 & ISO 14000

Company operating in ecology business

& waste management,

producing noise barriers

& other products

from recycled plastic waste






Production cycle

Noise barriers production from recycled plastic waste is supported and follows:

- Directive EU 2006/ 12/ ES about the waste recycling
- Directive EU 2002/ 49/ EC about the noise pollution



RECYCLING = material utilization

= process to make **waste** to be **new material or new products**




= process preferred against energetic utilization (waste combustion)

and so economizes natural sources and energies

LET'S THINK ECOLOGICLY...

nosev

plast «





INPUT = plastic waste

Every citizen produces about **25 kg** of plastic waste annually, it means 10 mil. people = **250 000 t.** MOSEV plast s.r.o. recycle about **1 200 t annually**, just a bit, it means there is enough space to **use recycled materials** and **save energy and limited sources** as wood, concrete, metal,...

mostly HD-PE, LD-PE, partly PP, PS, PET

hard plastics




follies & films





Where to use:



Transport infrastructure

(noise barriers, sets for railways)

Construction works

(laths, desks, sticks,...)

• Engineering

(geologic markers, basements, curbs ...)

Telecommunication

(cable troughs & their top covers)

Agriculture

(fences, fence posts, snow barriers,...)

House & garden

(grass tiles)

Army, navy, shipping, water sports

(jetties, fortification blocks,...)

Municipalities

(park benches and desks, garbage bins,...)

OUTPUT – raw material

Where to use:

raw material for own production sale as input to other producers sale as fuel to cement kilns

plastic flakes

mose

plast cre



plastic agglomerate





OUTPUT – simple products

simple products

Where to use: home & garden, agriculture, municipalities, construction works, engineering

desks, laths, posts, palisades,... fences, benches, flower pots...









OUTPUT – sets for railways

sets for railways

Where to use: railways, construction & public works & engineering, industry

sets UKMP-W, curbs with connection, cable troughs & their top covers,...











OUTPUT – noise barriers

We have been producing noise barriers since **1998**, from that time have made **50 000 m² walls** total, in **2006** it was about **18 000 m²**.

DSH5 DSH6 DSH7 DSH8 DSH12 DSH13











panel DSH 5

reflexing

plast





DSH plast 5

DSH plast 6 transparent

Acoustic characteristics regarding standards ČSN EN 1793-1,2: soundproof B3 - 36 dB





Panels noise absorbing

DSH plast 7

DSH plast 8 high absorbing

DSH plast 12

DSH plast 13 double side


Acoustic characteristics regarding standards ČSN EN 1793-1,2: absorbability A4: 8- 11- 13-17 dB, soundproof B3: 36 dB



Design & colors of panels DSH plast

mosev

We produce 6 types of panels in 3 base colours = 18 basic variations and many atypical panels and version regarding the customer request





Advantages of noise barriers made of recycled plastics

- High social & ecological value
- Recycled material helps the environment
- Easy to find plastic waste as input material
- Ecologic contribution & safe cost
- Great evaluation by users, investors, authorities
- Best comparative price among usually used materials (concrete, wood, metal, ...)
- Long life length with no need of maintenance (25 years min, guarantee 5 years)
- The best acoustic characteristics of noise barriers on the market (A4 <17dB)
- Re-recycling possibility
- Low weight (5x lighter then concrete)
- Weather influences resistance
- Acids and alkalines resistance
- Easy to manipulate and assembly
- 240 m2 of wall (height 1 m) is possible to carry with 1 truck transportation
- 240 m2 of wall is possible to build up within 5 hours into frame columns HEB/A.



Quality guaranties, certificates

Our products fulfill the parameters of ČSN EN (CZ norms & EU norms), ISO standards, authority directives of Ministry of Transportation of Czech Rep. Czech Railways & Road and Motorway Directorate of the Czech Republic, regarding technical parameters, tests, business conditions, guaranties, design documentation and other requests and ordinary customs

Standards ISO 9001 & ISO 14000

Addreferierende onder 2 Add Addreferierende onder 2 12 Addreferierende onder 2 12 Addreferierende onder 2 12 Addreferierende onder 2 12 PROTEINEN PR	Anteriore and a state The second state of the		Administration and a 202
Add Margin Status Margin Status Margin Stat	Term March March March March Term march March March March Term march March March March March March March March March March March March March March March March March March March March <t< th=""><th><image/><image/><text><section-header><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></section-header></text></th><th>ine Mitt Anderson mit See and Anderson mit Mitt Anderson mit Anderson mit Mitt Ande</th></t<>	<image/> <image/> <text><section-header><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></section-header></text>	ine Mitt Anderson mit See and Anderson mit Mitt Anderson mit Anderson mit Mitt Ande



MOSEV plast s.r.o. Nová Hradečná 221 783 84 Nová Hradečná CZECH REPUBLIC

tel: 00420 585 032 511 fax: 00420 585 032 171 www.mosevplast.cz mosev@mosevplast.cz stuchla@mosevplast.cz



Please don't hesitate to ask any questions.

We are ready to provide you with more information and give you documentation about our projects:

- plastic waste recycling line
- distribution of our products, mainly noise barriers





sales director